# **OVERVIEW**



1. Nano-SIM card slot *	6. USB 3.2 Gen 1 (Always On)
2. Thunderbolt 4	7. USB-C 3.2 Gen 2
3. USB 3.2 Gen 1	8. Kensington Nano Security Slot
4. Headphone / microphone combo jack (3.5mm)	9. Smart card reader *
5. HDMI	

Notes:

• Ports with \* are only available on selected models

# ThinkPad L13 Gen 3 (Intel)

# PERFORMANCE

### **Processor**

### **Processor Family**

12th Generation Intel<sup>®</sup> Core™ i3 / i5 / i7 Processor

### Processor\*\*[1]

Processor Name	Cores	Threads	Base Frequency	Max Frequency Cac		Memory Support	Processor Graphics
Core i3- 1215U	6 (2 P-core + 4 E-core)	8	P-core 1.2GHz / E- core 0.9GHz	P-core 4.4GHz / E- core 3.3GHz	10MB	DDR4-3200	Intel UHD Graphics
Core i5- 1235U	10 (2 P-core + 8 E-core)	12	P-core 1.3GHz / E- core 0.9GHz	P-core 4.4GHz / E- core 3.3GHz	12MB	DDR4-3200	Intel Iris® Xe Graphics
Core i5- 1245U	10 (2 P-core + 8 E-core)	12	P-core 1.6GHz / E- core 1.2GHz	P-core 4.4GHz / E- core 3.3GHz	12MB	DDR4-3200	Intel Iris Xe Graphics
Core i7- 1255U	10 (2 P-core + 8 E-core)	12	P-core 1.7GHz / E- core 1.2GHz	P-core 4.7GHz / E- core 3.5GHz	12MB	DDR4-3200	Intel Iris Xe Graphics
Core i7- 1265U	10 (2 P-core + 8 E-core)	12	P-core 1.8GHz / E- core 1.3GHz	P-core 4.8GHz / E- core 3.6GHz	12MB	DDR4-3200	Intel Iris Xe Graphics

Notes:

1. i3-1215U, i5-1235U, and i7-1255U are NOT available in EMEA.

# **Operating System**

### **Operating System**\*\*

- Windows® 11 Pro
- Windows 11 Home
- Windows 11 Home Single Language
- Windows 11 DG Windows 10 Pro 64
- Ubuntu Linux
- No operating system

## Graphics

### Graphics\*\*

Graphics	Туре	Memory	TGP	Key Features	
Intel UHD Graphics	Integrated	Shared	Share CPU TDP	DirectX® 12.1	
Intel Iris Xe Graphics	Integrated	Shared	Share CPU TDP	DirectX 12.1	

## **Monitor Support**

### **Monitor Support**

Supports up to 4 independent displays (native display and 3 external monitors via HDMI®, USB-C® and Thunderbolt™)

- HDMI supports up to 3840x2160@60Hz
- USB-C supports up to 5120x3200@60Hz
- Thunderbolt supports up to 5120x3200@60Hz

# Chipset

### Chipset

Intel SoC (System on Chip) platform

## Memory

### Max Memory<sup>[1]</sup>

- 8GB soldered memory, not upgradable
- 16GB soldered memory, not upgradable
- 32GB soldered memory, not upgradable

### **Memory Slots**

Memory soldered to systemboard, no slots, dual-channel

### Memory Type

DDR4-3200

Notes:

1. The max memory is based on the test results with current Lenovo® memory offerings. The system may support more memory as the technology develops.

### Storage

### Storage Support<sup>[1]</sup>

One drive, up to 1TB M.2 2242 SSD

### Storage Slot

One M.2 2242 PCIe<sup>®</sup> 4.0 x4 slot

### Storage Type

Disk Type	Interface	Offering	Security
M.2 2242 SSD	PCIe NVMe®, PCIe 4.0 x4	256GB / 512GB / 1TB	Opal 2.0

Notes:

1. The storage capacity supported is based on the test results with current Lenovo storage offerings. The system may support larger storage as the technology develops.

## **Removable Storage**

Optical

### None

### Card Reader

No card reader

### Multi-Media

### **Audio Chip**

High Definition (HD) Audio, Realtek® ALC3287 codec

### Speakers

Stereo speakers, 2W x2, Dolby<sup>®</sup> Audio™

Microphone

Dual-microphone array, far-field, Dolby Voice

### Camera\*\*

- HD 720p, with privacy shutter, fixed focus
- FHD 1080p, with privacy shutter, fixed focus
- FHD 1080p + IR hybrid, with privacy shutter, fixed focus

## **Battery**

### Battery

Integrated Li-Polymer 46Wh battery, supports Rapid Charge (charge up to 80% in 1hr) with 65W AC adapter

### Battery Life<sup>[1]</sup>

Configuration 1 (max battery life) MobileMark® 2018: up to 8.9 hr with 629 performance score @200nits JEITA 2.0: up to 14.3 hr @150nits Local video playback: up to 11.9 hr @150nits

Alternate configuration 2 MobileMark 2018: up to 8.7 hr with 622 performance score @200nits JEITA 2.0: up to 13.7 hr @150nits Local video playback: up to 11.2 hr @150nits

Alternate configuration 3 MobileMark 2018: up to 8.2 hr with 704 performance score @200nits JEITA 2.0: up to 13.0 hr @150nits

Local video playback: up to 11.0 hr @150nits

### Notes:

- 1. Configuration 1 (max battery life): WUXGA (non-touch), Intel i3-1215U, 8GB DDR4, Win 11, 46Wh battery, best power efficiency power mode
  - Alternate configuration 2: WUXGA (non-touch), Intel i5-1245U, 16GB DDR4, Win 11, 46Wh battery, best power efficiency power mode Alternate configuration 3: WUXGA (non-touch), Intel i7-1265U, 32GB DDR4, Win 11, 46Wh battery, best power efficiency power mode
  - All battery life claims are approximate maximum and based on results using <u>MobileMark 2018</u>, <u>MobileMark 2025</u>, JEITA 2.0, continuous 1080p local video playback (using default Media Player in Fullscreen mode with 150nits brightness and default volume level), or Google Power Load Test (PLT) battery-life benchmark tests.

Actual battery life will vary and depends on many factors such as product configuration, software, wireless functionality, power management settings, and screen brightness.

The maximum capacity of the battery will decrease with time, ambient temperature and use.

Refer to Microsoft<sup>®</sup> link for more information about the Windows Performance power slider.

### **Power Adapter**

### Power Adapter\*\*[1][2]

- 45W USB-C (2-pin) AC adapter, supports PD 3.0, 100-240V, 50-60Hz
- 45W USB-C (3-pin) AC adapter, supports PD 3.0, 100-240V, 50-60Hz
- 65W USB-C (2-pin) AC adapter, supports PD 3.0, 100-240V, 50-60Hz
- 65W USB-C (3-pin) AC adapter, supports PD 3.0, 100-240V, 50-60Hz
- 65W USB-C slim (2-pin) AC adapter, supports PD 3.0, 100-240V, 50-60Hz
- 65W USB-C slim (3-pin) AC adapter, supports PD 3.0, 100-240V, 50-60Hz
- No power adapter

#### Notes:

1. AC adapter offerings depend on the country.

No power adapter is for special bid only
 45W USB-C AC adapter and 65W USB-C slim AC adapter are NOT available in EMEA

# DESIGN

### Display

### Display\*\*[1]

Size	Resolution	Touch	Туре	Brightness	Surface	Aspect Ratio	Contrast Ratio	Color Gamut	Viewing Angle	Key Features
13.3″	WUXGA (1920x1200)	None	IPS	300 nits	Anti- glare	16:10	800:1	45% NTSC	170°	-
13.3″	WUXGA (1920x1200)	None	IPS	300 nits	Anti- glare	16:10	1000:1	100% sRGB	170°	-
13.3″	WUXGA (1920x1200)	None	IPS	500 nits	Anti- glare	16:10	1000:1	72% NTSC	170°	ThinkPad® Privacy Guard
13.3″	WUXGA (1920x1200)	Multi- touch	IPS	300 nits	Anti- glare	16:10	1000:1	72% NTSC	170°	-

### Touchscreen

• Capacitive-type on-cell multi-touch, supports 10-point touch

• Non-touch

Notes:

 California Electronic Waste Recycling Fee In California, per state law, Lenovo charges an electronic waste recycling fee on this covered device at the time of sale of the product. For more information, go to https://www.calrecycle.ca.gov/Electronics/Consumer

### Input Device

### Keyboard

6-row, spill-resistant, multimedia Fn keys with Unified Communications controls

### Keyboard Backlight

LED backlight

### • Non-backlight

### UltraNav™

TrackPoint® pointing device and Mylar® surface multi-touch touchpad, 56 x 115 mm (2.24 x 4.53 inches)

## **Mechanical**<sup>III</sup>

### Dimensions (WxDxH)

305 x 218 x 17.3 mm (12.0 x 8.58 x 0.68 inches)

### Weight

Starting at 1.26 kg (2.78 lbs)

# Case Color\*\*[2]

- Storm grey
- Thunder black

### Case Material

Aluminium (top), GFRP (bottom)

### Notes:

- 1. The system dimensions and weight vary depending on configurations.
- 2. Storm grey case is NOT available in EMEA.

# CONNECTIVITY

## Network

### Ethernet<sup>[1]</sup>

No onboard Ethernet

### WLAN + Bluetooth®\*\*[2][3]

- Intel Wi-Fi<sup>®</sup> 6E AX211, 802.11ax 2x2 Wi-Fi + Bluetooth 5.1
- Intel Wi-Fi 6 AX201, 802.11ax 2x2 Wi-Fi + Bluetooth 5.1

### WWAN\*\*[4]

- Wireless WAN upgradable to 4G (with antenna ready)
- Fibocom L860-GL-16, 4G LTE CAT16, M.2 card
- Quectel EM05-G, 4G LTE CAT4, M.2 card
- No support

### SIM Card

- Gemalto eSIM card (physical)
- No SIM card inbox

### NFC

- Near Field Communication
- No support

Notes:

- 1. Ethernet support via optional Lenovo USB-C to Ethernet Adapter
- 2. Bluetooth 5.2 is hardware ready but may run at a lower version due to OS limitation
- 3. 6GHz Wi-Fi 6E operation is dependent on the support of the operating system, routers/APs/Gateways that support Wi-Fi 6E, and the regional regulatory certifications & spectrum allocation.
- Wi-Fi 6E is only enabled on Windows 11 and operates as Wi-Fi 6 with Windows 10.
- 4. Fibocom L860-GL CAT16 is special bid only in EMEA.

### **Ports**<sup>[1]</sup>

### Standard Ports

- 1x USB 3.2 Gen 1
- 1x USB 3.2 Gen 1 (Always On)
- 1x USB-C 3.2 Gen 2 (support data transfer, Power Delivery 3.0 and DisplayPort™ 1.4)
- 1x Thunderbolt 4 / USB 4 40Gbps (support data transfer, Power Delivery 3.0, and DisplayPort 1.4)
- 1x HDMI, up to 4K/60Hz
- 1x Headphone / microphone combo jack (3.5mm)

### **Optional Ports**\*\*\*

- 1x Smart card reader
- 1x Nano-SIM card slot (WWAN support models)

#### Notes:

- 1. The transfer speed of following ports will vary and, depending on many factors, such as the processing speed of the host device, file attributes and other factors related to system configuration and your operating environment, will be slower than theoretical speed. USB 2.0: 480 Mbit/s;
  - USB 3.2 Gen 1 (SuperSpeed USB 5Gbps, formerly USB 3.0 / USB 3.1 Gen 1): 5 Gbit/s;
  - USB 3.2 Gen 2 (SuperSpeed USB 10Gbps, formerly USB 3.1 Gen 2): 10 Gbit/s;
- USB 3.2 Gen 2x2 (SuperSpeed USB 20Gbps): 20 Gbit/s;
- Thunderbolt 3/4: 40 Gbit/s

## Docking

### Docking

Various docking solutions supported via Thunderbolt or USB-C. For more compatible docking solutions, please visit <u>Docking for ThinkPad L13 Gen 3 (Intel)</u>

## **Monitor Cable**

### Monitor Cable\*\*\*

- Lenovo HDMI to VGA Monitor Adapter
- Lenovo USB-C to VGA Adapter
- Lenovo USB-C to HDMI Adapter
- Lenovo USB-C to DisplayPort Adapter
- No monitor cable

# **SECURITY & PRIVACY**

## Security

Security Chip

Discrete TPM 2.0, TCG certified

### **Physical Locks**

Kensington<sup>®</sup> Nano Security Slot<sup>™</sup>, 2.5 x 6 mm

### Smart Card Reader

- Smart card reader
- No smart card reader

### **Fingerprint Reader**

- Touch style fingerprint reader integrated in power button, match-on-chip
- No fingerprint reader

### **BIOS Security**

- Power-on password
- Supervisor password
- NVMe password
- Self-healing BIOS

### **Other Security**

- Camera privacy shutter
- (Optional) IR camera for Windows Hello
- (Optional) Privacy Guard with Privacy Alert
- Glance by Mirametrix®

# MANAGEABILITY

## System Management

### System Management<sup>[1]</sup>

- Intel vPro® Enterprise
- Non-vPro

Notes:

1. Intel vPro offers a superset of DASH's defined capabilities.

# SERVICE

# Warranty

### Base Warranty\*\*

- 1-year courier or carry-in service
- 1-year limited onsite service
- 3-year (1-yr battery) courier or carry-in service
- 3-year (1-yr battery) limited onsite service

# ENVIRONMENTAL

## **Sustainability**

### Material

50% PCC recycled plastic used in speaker enclosure 30% PCC recycled plastic used in the battery 95% PCC recycled plastic used in standard 65W adapter Low-temperature solder 90% recycled and/or sustainable packaging

## **Operating Environment**

### Temperature<sup>[1][2]</sup>

- Operating: 5°C (41°F) to 35°C (95°F)
- Storage and transportation in original shipping package: -20°C (-4°F ) to 60°C (140°F)
- Storage without package: 5°C (41°F) to 43°C (109°F)

### Humidity

- Operating: 8% to 95% at wet-bulb temperature 23°C (73°F)
- Storage and transportation: 5% to 95% at wet-bulb temperature 27°C (81°F)

### Altitude

Maximum altitude (without pressurization): 3048 m (10,000 ft)

Notes:

- 1. When you charge the battery, its temperature must be no lower than 10°C (50°F).
- 2. When you charge the battery, its temperature must be no lower than 10°C (50°F).

# ACCESSORIES

## **Bundled Accessories**

### Bundled Accessories\*\*\*

- Lenovo USB-C to USB-C Cable 2m
- Lenovo USB-C to Ethernet Adapter
- Lenovo USB-C to USB-A Adapter
- None

# CERTIFICATIONS

## **Green Certifications**

### Green Certifications

- EPEAT™ Gold
- ENERGY STAR® 8.0
- ErP Lot 3
- TCO Certified 9.0
- RoHS compliant

# **Other Certifications**

## Mil-Spec Test

MIL-STD-810H military test passed

- Feature with \*\* means that only one offering listed under the feature is configured on selected models.
- Feature with \*\*\* means that one or more offerings listed under the feature could be configured on selected models.
- Lenovo reserves the right to change specifications or other product information without notice. Lenovo is not
  responsible for photographic or typographical errors. LENOVO PROVIDES THIS PUBLICATION "AS IS,"
  WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESS OR IMPLIED, INCLUDING THE IMPLIED WARRANTIES
  OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Some jurisdictions do not allow
  disclaimer of express or implied warranties in certain transactions, therefore this disclaimer may not apply to
  you.
- The specifications on this page may not be available in all regions, and may be changed or updated without notice.





intel



intel



intel

intel

intel

intel